AR- 4567 15

1a) 14 Rags



STATE OF ARKANSAS Department of Pollution Control and Ecology P. O. Box 9583 Little Rock, Arkansas 72219 Telephone 501-562-7444

UNIFORM HAZARDOUS WASTE MANIFEST	1. Generator's US EPA ID No C A D O 8 6 5 2	o. 1 0 0 0 5 9 💇	anifest Iment No. 	2. Pag of	1 Informa required	by Federa	shaded areas is not al law.
Generator's Name and Mailing Address Douglas Aircraft Compan 19503 S. Normandie Aven	y Attn: R. Tuell	M/S C6-10		AR	A 1" (^ ")	45	
Generator's Phone (213) 783-59	28 or 213-533-723				1036005698 Transporter's ID		1123 н602
Transporter 1 Company Name United Pumping Service Transporter 2 Company Name	6. <u>ICIAL</u>	D 0 7 2 9 5 3 US EPA ID Numb	7 7 1 er	D. Trar	And the second second	318-96	1123 HOUZ 51-9326
Transporter 2 Company Name	1 1				sporter's Phone	10	
Designated Facility Name and Site Address Ensco, Inc. American Oil Road El Dorado, AR 71730	on Arkaneas torns 'RIAI 'State identif		11912	н. Fac	lity's Phone	3	
. US DOT Description (Including Proper Shippi	ng Name, Hazard Class, and ID Nun	nber)	12. Conta No.	Type	13. Total Quantity	Unit Wt/Vol	1. Waste No.
Hazardous Waste Solid, ORM-E, NA9189	N.O.S. (111-Trich		0114	BA	1.400	j ipoli	F001, F00
			1 1 1 1			3 8650	
		etsstepM enond	1 1	l			
	H MANT IN		adq.				
	ie number must appe			13/1/	THE	1 1000	
Constantio	n, amorto do A <mark>u CEA 20</mark> be listed as PC3	Spiends elynoder	S beig				
ayiiiwanDScri#io146134als_listerAbooks solvents. BA is 60 f no alternate TSDF, return to ge	cu ft Bulk Lift Ba	9. 97		EMEI		ONSE INF	
in case of accident co generator. Weight is a	ntact Chemtrec at	800-424-9300. mergency Respo	nse uu	iue	# 91.	rer, r	eturn to
6. GENERATOR'S CERTIFICATION: I here	pects in proper condition for transpo	consignment are fully and a ort by highway according to a	ccurately de applicable in	scribed ernatio	above by proper s nal and national go	ermined to	be economically pra
packed, marked, and labeled, and are in all res sas state regulations. If I am a large quantity generator, I certify that	I have a program in place to reduce a method of treatment, storage, or di	the volume and toxicity of w	aste generati	ed to the inimize on and	s the present and f select the best wa	uture threa iste manag	ement method that
packed, marked, and labeled, and are in all res sas state regulations.	I have a program in place to reduce a method of treatment, storage, or digenerator, I have made a good fail	the volume and toxicity of w	aste generati	ed to the	s the present and fiselect the best wa	uture threa	ement method that Month Day
packed, marked, and labeled, and are in all ressas state regulations. If I am a large quantity generator, I certify that ticable and that I have selected the practicable environment; OR, If I am a small quantity available to me and that I can afford. Printed/Typed Name	e method of treatment, storage, or or or generator, I have made a good fai	the volume and toxicity of wisposal currently available to the effort to minimize my was Signature	aste generati	ed to the	s the present and fi select the best wa	uture threa	ement method that Month Day 111211
packed, marked, and labeled, and are in all ressas state regulations. If I am a large quantity generator, I certify that ticable and that I have selected the practicable the environment; OR, if I am a small quantity available to me and that I can afford. Printed/Typed Name Rober T 7. Transporter 1 Acknowledgement of Receipt Printed/Typed Name	of Materials	the volume and toxicity of w isposal currently available to th effort to minimize my wa	aste generati	ed to the	s the present and the select the best was	uture threa	Month Day
packed, marked, and labeled, and are in all ressas state regulations. If I am a large quantity generator, I certify that ticable and that I have selected the practicabl the environment; OR, if I am a small quantity available to me and that I can afford. Printed/Typed Name Robert 7. Transporter 1 Acknowledgement of Receipt	of Materials	the volume and toxicity of wisposal currently available to the effort to minimize my was Signature	aste generati	ed to the inimize on and	s the present and fiselect the best wa	uture three	ement method that Month Day
packed, marked, and labeled, and are in all ressas state regulations. If I am a large quantity generator, I certify that ticable and that I have selected the practicable the environment; OR, If I am a small quantity available to me and that I can afford. Printed/Typed Name Robert 7. Transporter 1 Acknowledgement of Receipt Printed/Typed Name Robert Ro	of Materials	the volume and toxicity of wisposal currently available to the effort to minimize my was signature. Signature Signature Signature	aste generati	on and	s the present and feelect the best wa	ste manag	Month Day Month Day Month Day
packed, marked, and labeled, and are in all ressas state regulations. If I am a large quantity generator, I certify that ticable and that I have selected the practicabl the environment; OR, if I am a small quantity available to me and that I can afford. Printed/Typed Name Rober T. 7. Transporter 1 Acknowledgement of Receipt Printed/Typed Name Rober C. Printed/Typed Name Printed/Typed Name Rober C. Printed/Typed Name Printed/Typed Name Rober C. Printed/Typed Name Rober C. Printed/Typed Name Rober C. Printed/Typed Name Rober C. Printed/Typed Name	of Materials of Materials	the volume and toxicity of wisposal currently available to the effort to minimize my was signature. Signature Signature Signature	aste generati	on and	Select the best was	ste manag	Month Day Month Day Month Day Month Day

UNITED

UNITED DUMPING SERVICE, INC. FIELD WORK ORDER

14016 EAST VALLEY BOULEVARD CITY OF INDUSTRY, CALIFORNIA 91746 PHONE: (818) 961-9326

(PAGEOF

	FAX	ζ (818) 3 36-	7734						PAGE	O	<u>-</u>
OUSTOMER/ADDRESS	ALECEAF	T C//) <u>J</u>	eningrame.		11	ATE WORK	< 1 "	92)	
195035 1	UOR MAN	45 /	AJEA	MEns			ATE OF THIS				
TORRANCE	CA						ME CALL RE				
PHONE NO. /	ab	conjact EVL/ (> Til	ecc JK)		ONTRACT N				
LOCATION	\$ '					ノじ	AS REPORT	NO./P.O.	NU.;		
SCOPE OF WORK:	3 mm (N)	Salaria Contraction	C	r Han S				(0)			and Given were a sea
LOAUEU	<u>15 4/45</u>	TTE (7)	€) [<u> </u>							
EQUIPMEN TYPE	Π:	EQUIPMENT ,NO	and the same	OPERATOR NAME	START TIME	ARRIVE TIME	TIME OUT	STOP TIME	8.T. TIME	O.T. TIME	TOTAL HOURS
1-ROFTE	KETEAL	407-2	for l	<u>lattez</u>	120	2:30	¥30				74,
\											
							ļ				
PERSONN NAME	EL:		1111	Œ	START TIME	ARRIVE TIME	TIME	STOP	S.T. TIME	O.T. TIME	TOTAL HOURS
en e				THE RESIDENCE OF THE PARTY OF T							
- The Land			The street con-	a samuel de la companya de la compa	aso _{della}						
						 					
						i i					
DISPOSAL: MANIFEST NO.	DISPOSAL SIT	E	QTY	UNIT	COMSU	IMABLE: PE	9	IV	M	E	env
42-456745	EUSCO		000	/							4
				ノし							
ADDITIONAL INFORMATION:						- //	7				



"X" Here, if applicable

LAND DISPOSAL RESTRICTION NOTIFICATION FORM

	Manifort No.	NW UN 7 7 CLC
Concretor Name (7)		AR-456745
Address: 19503 S. Norm	Eft Co. WMDS No. (s):_	146134
Address: 19503 S. Norm	rendre Aug Completed By: 1	Robert G Tuell
Torrance, CA 9	OSOZ Title: Senior P	Plant Foomar
USEPA ID No.: CA 008657		90
(Continuation Sheets	may be attached and are numbered according	lly: Page / of \vec{J})
	ENT WASTE (268.30) AND CALIFORNIA LIST	WASTE (268.32)
(Check Here)	A. Spent Solvent Wastes	
The shipment, as referenced by th	ne above manifest number, contains waste(s) wh	iot comana de llogo e l
Waste Code(s)F	out, Four	iich correspond to USEPA Hazardo
e above referenced waste(s) mi	ist he treated to meet the treatment standard av	
in the Waste Extract as outlined i	ust be treated to meet the treatment standard ex n 40 CFR 268.41 Table CCWE below.	pressed as Constituent Concentrati
	Table CCWE - Constituent Concentrations in Waste Extract	
	Table CCWE - Constituent Concentrations in Waste Extract	scentration(in mo/l)
	Table CCWE - Constituent Concentrations in Waste Extract	centration(in mg/l) All Other
	Table CCWE - Constituent Concentrations in Waste Extract Con Wastewaters containing spent	
FOO1-F005 Spent Solvents Acetone	Table CCWE - Constituent Concentrations in Waste Extract Con Wastewaters containing	All Other spent - solvent - wastes
FOO1-FO05 Spent Solvents Acetone n-Butyl alcohol	Table CCWE - Constituent Concentrations in Waste Extract Wastewaters containing spent solvents 0.05 6.0	All Other spent - solvent - wastes 0.59
FOO1-F005 Spent Solvents Acetone 1-Butyl alcohol Carbon disultide	Table CCWE - Constituent Concentrations in Waste Extract Wastewaters containing spent solvents 0.05 5.0 1.05	All Other spent - solvent - wastes
FOO1-F005 Spent Solvents Acetone -Butyl alcohol Carbon disultide Carbon tetrachloride	Table CCWE - Constituent Concentrations in Waste Extract Wastewaters containing spent solvents 0.05 5.0 1.05 .05	All Other sport - solvert - wastes 0.59 5.0
FOO1-F005 Spent Solvents Acetone -Butyl alcohol arbon disultide carbon tetrachloride Chlorobenzene	Table CCWE - Constituent Concentrations in Waste Extract Wastewaters containing spent solvents 0.05 5.0 1.05 .05 .15	All Other spent - solvent - wastes 0.59 5.0 4.81 .96 .05
Cool-F005 Spent Solvents Acetone -Butyl alcohol -arbon disultide -arbon tetrachloride chlorobenzene Resols (and cresylic acid)	Table CCWE - Constituent Concentrations in Waste Extract Wastewaters containing spent solvents 0.05 6.0 1.05 .05 .15 2.82	All Other spent - solvent - solvent - wastes 0.59 5.0 4.81
Cool-F005 Spent Solvents Acetone Butyl alcohol auton disultide auton tetrachloride intercoloride in	Table CCWE - Constituent Concentrations in Waste Extract Wastewaters containing spent solvents 0.05 6.0 1.05 .05 .15 2.82 .125	All Other sport - solvert - wastes 0.59 5.0 4.81 .96 .05 .75
Acetone -Butyl alcohol Carbon disultide Auton tetrachloride Chlorobenzene Cresols (and cresylic acid) Cyclohexanone 2-Dichlorobenzene Ithyl acetate	Table CCWE - Constituent Concentrations in Waste Extract Wastewaters containing spent solvents 0.05 6.0 1.05 .05 .15 2.82	All Other spent - solvent - wastes 0.59 5.0 4.81 .96 .05 .75 .75 .75
Acetone -Butyl alcohol Carbon disulfide Carbon tetrachloride Chlorobenzene Cysols (and cresylic acid) Cyclohexanone 2-Dichlorobenzene ithyl acetale (thylbenzene	Table CCWE - Constituent Concentrations in Waste Extract Wastewaters containing spent solvents 0.05 6.0 1.05 .05 .115 2.82 .125 65	All Other spent - solvent - wastes 0.59 5.0 4.81 .96 .05 .75 .75 .75 .125 .75
Color-F005 Spent Solvents Acetone -Butyl alcohol Carbon disulfide -arbon tetrachloride Chlorobenzene Cresols (and cresylic acid) Cyclohexanone -2-Dichlorobenzene Ithyl acetate Ithyl acetate Ithyl ether	Table CCWE - Constituent Concentrations in Waste Extract Wastewaters containing spent solvents 0.05 6.0 1.05 .05 .15 2.82 .125 .65 .05	All Other spent - solvent - wastes 0.59 5.0 4.81 .96 .05 .75 .75 .75 .125 .75 .053
Acetone -Butyl alcohol arbon disulfide Carbon tetrachloride Chlorobenzene Cresols (and cresylic acid) Cyclohexanone 2-Dichlorobenzene Eithyl acetale Eithyl acetale Eithyl ether sobutanol	Table CCWE - Constituent Concentrations in Waste Extract Wastewaters containing spent solvents 0.05 5.0 1.05 .05 .15 2.82 .125 .65 .05 .05 .05	All Other spent - solvent - wastes 0.59 5.0 4.81 .96 .05 .75 .75 .75 .125 .75
Acetone -Butyl alcohol -arbon disultide -arbon tetrachloride -chorobenzene -resols (and cresylic acid) -ydohexanone -2-Dichlorobenzene -thyl acetate -thyl benzene -thyl acetate -thyl ether -tobutanol -tethanol	Table CCWE - Constituent Concentrations in Waste Extract Wastewaters containing spent solvents 0.05 6.0 1.05 .05 .115 2.82 .125 .85 .05 .05 .05 .05 .05 .05 .05 .05 .05 .0	All Other spent - solvent - solvent - wastes - 0.59
Acetone -Butyl alcohol Carbon disultide arbon tetrachloride Chlorobenzene Cresols (and cresylic acid) cyclohexanone 2-Dichlorobenzene thyl acetate thylbenzene tityl ether sobutanol lethanol lethylene chloride	Table CCWE - Constituent Concentrations in Waste Extract Wastewaters containing spent solvents 0.05 5.0 1.05 -05 -115 2.82 -1.125 -65 -05 -05 -05 -05 -05 -05 -05 -05 -05 -0	All Other sport - solvert - wastes 0.59 5.0 4.81 96 .05 75 .75 .75 .75 .125 .75 .053 .75 .053
Colone -Butyl alcohol -arbon disulfide -arbon disulfide -arbon tetrachloride -hiorobanzene -resols (and cresylic acid) -ycholoxanone 2-Dichlorobenzene -tityl acetate -tityl acetate -tityl seetate -tityl ether -robutanol -tethanol -tethanol -tethylene chloride	Table CCWE - Constituent Concentrations in Waste Extract Wastewaters containing spent solvents 0.05 6.0 1.05 .05 .15 2.88 2.82 .125 .65 .05 .05 .05 .05 .25 .25 .25 .25 .25 .25 .25 .25 .25 .2	All Other spent - solvent - wastes 0.59 5.0 4.81 .96 .05 .75 .75 .75 .75 .125 .75 .053 .75 .053 .75 .053 .75 .96
Cool-Foos Sperit Solvents Cooler - Butyl alcohol auton disultide auton disultide auton tetrachloride chlorobenzene desols (and cresylic acid) cyclohexanone 2-Dichlorobenzene thyl acetale thyl acetale thyl ether cobutanol lethylene chloride lethylene chloride lethylene chloride lethylene chloride lethylene chloride lethylene chloride lethylethyl ketone	Table CCWE - Constituent Concentrations in Waste Extract Wastewaters containing spent solvents 0.05 5.0 1.05 .05 .15 2.82 .125 .85 .05 .05 .05 .05 .05 .05 .05 .05 .05 .0	All Other spent - solvent - solvent - wastes 0.59 5.0 4.81
Acetone -Butyl alcohol action disultide Carbon tetrachloride Chlorobenzene Cresols (and cresylic acid) Cyclohexanone 2-Dichlorobenzene Ethyl acetate Ethyl enzene Ethyl ether sobutanol dethylene chloride (ethylene chloride (ethylene chloride (ethylene chloride (ethylene chloride (ethylene chloride (ethylene chloride (ethyletyl ethyl ketone (ethyl sobutyl ketone	Table CCWE - Constituent Concentrations in Waste Extract Wastewaters containing spent solvents 0.05 6.0 1.05 .05 .15 2.88 2.82 .125 .65 .05 .05 .05 .05 .25 .25 .25 .25 .25 .25 .25 .25 .25 .2	All Other sport - solvent: wastes 0.59 5.0 4.81 96 .05 .75 .75 .75 .75 .125 .75 .053 .75 5.0 .75 5.0 .75 .96
Acetone -Butyl alcohol -arbon disultide -arbon tetrachloride -ihlorobenzene -resols (and cresylic acid) -ydohexanone -2-Dichlorobenzene -thyl acetate -thyl enter	Table CCWE - Constituent Concentrations in Waste Extract Wastewaters containing spent solvents 0.05 6.0 1.05 .05 .15 2.82 .125 .65 .05 .05 .05 .05 .05 .05 .05 .05 .05 .0	All Other sport - solvent - solvent - solvent - wastes - 0.59 - 5.0 - 4.819605757575125750537505375507596969696969696969696969696969396939696969693969396939696969693969696969696939696969693
COO1-FO05 Spent Solvents Colone Butyl alcohol Carbon disulfide Carbon disulfide Carbon tetrachloride Chlorobenzene Cresols (and cresylic acid) Cyclohexanone 2-Dichlorobenzene Ithyl acetate Ithyl estate Ithyl ether Cobutanol Iethanol Iethylene chloride	Table CCWE - Constituent Concentrations in Waste Extract Wastewaters containing spent solvents 0.05 6.0 1.05 .05 .115 2.82 .125 .85 .05 .05 .05 .05 .05 .05 .05 .05 .05 .0	All Other spent - solvent - wastes 0.59 5.0 4.8196057575125751257505375507596
Acetone -Butyl alcohol Carbon disulfide Carbon disulfide Carbon tetrachloride Chlorobenzene Cresols (and cresylic acid) Cyclohexanone 2-Dichlorobenzene Ethyl acetate Ethyl esetate Ethyl esetate Ethyl ener Ethyl ener Ethyl ener Ethyl ener Ethylene chloride (ethylene chloride (ethylene chloride (from the pharma- ceutical industry) Ethyl ethyl ketone	Table CCWE - Constituent Concentrations in Waste Extract Wastewaters containing spent solvents 0.05 5.0 1.05 .05 .15 2.82 .125 .65 .05 .05 .05 .05 .05 .05 .05 .05 .05 .0	All Other spent - solvent - wastes 0.59 5.0 4.81 .96 .05 .75 .75 .75 .125 .75 .053 .75 .5075 .9675967596
Acetone -Butyl alcohol acrbon disulfide Carbon tetrachloride Chlorobanzene Cresols (and cresylic acid) Cyclohexanone 2-Dichlorobanzene Cityl acetale Cityl acetale Cityl energy of the pharma- coutical industry) Cethylene chloride Cethyl isobutyl ketone Cethyl isobutyl ketone Cethyl isobutyl ketone Cethyl isobutyl ketone Cethylene Cetrachicroethylene Columne	Table CCWE - Constituent Concentrations in Waste Extract Wastewaters containing spent solvents 0.05 5.0 1.05 .05 .15 2.82 .125 .85 .05 .05 .05 .05 .05 .05 .05 .05 .05 .0	All Other spent - solvent - wastes 0.59 5.0 4.8196057575125751257505375507596
Acetone -Butyl alcohol auton disultide -auton tetrachloride Chlorobenzene Cesols (and cresylic acid) Cyclohexanone 2-Oichlorobenzene Ithyl acetate Ithyl ether sobutanol tethylene chloride tethylene chloride (from the pharma- ceutical industry) tethyl ethyl ketone lethyl ethyl ketone lethyl ethyl ketone lethyl isobutyl ketone ittobenzene yridine etrachloroethylene oluene 1.1-Trichloroethane	Table CCWE - Constituent Concentrations in Waste Extract Wastewaters containing spent solvents 0.05 5.0 1.05 .05 .15 2.82 .125 .65 .05 .05 .05 .05 .05 .05 .05 .05 .05 .0	All Other sport - solvent: wastes 0.59 5.0 4.81 96 .05 .75 .75 .75 .75 .75 .75 .75 .75 .96 .053 .75 .053 .75 .053 .75 .053 .75 .053 .75 .053 .75 .053 .75 .053 .75 .053 .75 .053 .75 .053 .75 .053 .75 .053 .75 .053 .75 .053
Acetone -Butyl alcohol authon disuffide Carbon tetrachloride Chlorobenzene Cesols (and cresylic acid) Cyclohexanone 2-Dichlorobenzene Ithyl acetate Ithyl enther sobutanol Aethanol fethylene chloride (from the pharma- ceutical industry) tethyl ethyl ketone lethyl sobutyl ketone litrobenzene yridine otrachloroethylene oluene 1,1-Trichloroethane	Table CCWE - Constituent Concentrations in Waste Extract Wastewaters containing spent solvents 0.05 6.0 1.05 .05 .15 2.82 .125 .65 .05 .05 .05 .05 .05 .05 .05 .05 .05 .0	All Other spent - solvent - wastes 0.59 5.0 4.81 .96 .05 .75 .75 .75 .75 .75 .96 .053 .75 .50 .75 .053 .75 .003 .75 .003 .75 .96 .96 .975 .98
Acetone n-Butyl alcohol Carbon disulfide Carbon tetrachloride Chlorobenzene Cresols (and cresylic acid) Cydohexanone 1,2-Dichlorobenzene Ethyl acetate Ethyl benzene Ethyl ether sobutanol Methylene chloride Methylene chloride Methylene chloride (from the pharma- ceutical industry) Methyl isobutyl ketone Methyl ethyl ketone Methyl isobutyl ketone Methylene	Table CCWE - Constituent Concentrations in Waste Extract Wastewaters containing spent solvents 0.05 5.0 1.05 .05 .15 2.882 .125 .85 .05 .05 .05 .05 .05 .05 .05 .05 .05 .0	All Other spent - solvent - wastes 0.59 5.0 4.81 .96 .05 .75 .75 .75 .125 .75 .053 .75 .053 .75 .96 0.75 .96 0.75 .96 0.75 .96 0.75 .96
Acetone Acetone n-Butyl alcohol Carbon disuffide Carbon tetrachloride Chlorobenzene Cresols (and cresylic acid) Cyclohexanone Ethyl acetate Ethyl acetate Ethyl estate Ethyl enene Ethyl enene Ethyl enene Acetonol Methylene chloride Methylene chloride Methylene chloride (from the pharmaceutical industry) Methyl ethyl ketone Methyl isobutyl ketone Vitrobenzene Pyridine Fetrachloroethylene Columne 1,1,1-Trichloroethane 1,12-Trichloro-1,2,2- proethane	Table CCWE - Constituent Concentrations in Waste Extract Wastewaters containing spent solvents 0.05 6.0 1.05 .05 .15 2.82 .125 .65 .05 .05 .05 .05 .05 .05 .05 .05 .05 .0	All Other spent - solvent - wastes 0.59 5.0 4.81 .96 .05 .75 .75 .75 .75 .75 .96 .053 .75 .50 .75 .053 .75 .003 .75 .003 .75 .96 .96 .975 .98

			a List Wastes			
/ This shipment, as r Waste Code(s)	eferenced by the above i	nanifest numbe	r, contains waste(s)	corre	sponding to USEPA	Hazardous *
D, or where speci	ed waste(s) must be trea ic treatment standards a ied in 40 CFR 268.32 an	are not applica	ible, the waste must			
		CALIFORNIA LIST AND THEIR PROH				: 4
	соизтпиеит		CONCENTRATION (MG/L)			
	Cyanides		1,000			
	Arsenic		500			
	Cadmium		100			
	Chromium VI		500			
	Lead		500			
	Mercury		20			
	Nickel Selenium		134 100			
	Thallium		130			
	Liquids with pH s	2.0	그런 그 경기 생활을 높이다고 된다고요. 그는 그 전에 들어 가 있는 것이다고요?			
	Liquids with PCB		50 ppm			
	Wastes containin arbon (See 40 CFR Appendix		1,000 mg/kg			
) contained in this shipm ment standards set forth			nanife	st No. are listed be	elow and are
					lity Group (NIM/W or	
treatment code for	te, list the following inform specified technology in 26 pased standards if applic	8.42, if applica	ble (INCIN, DEACT, S	STABI) or <u>CFR Section ar</u>	WW); <u>5-letter</u> nd Paragraph
treatment code for	de, list the following inform specified technology in 26 pased standards, if applic	8.42, if applica	ble (INCIN, DEACT, S	STABL	_) or <u>CFR Section ar</u>	nd Paragraph
reatment code for	specified technology in 26	8.42, if applica	ble (INCIN, DEACT, S	eataol STABI or	CFR Section and Paragraph (268.41(a) and/or 268.43(a))	nd Paragraph Waste Codes Indicate
reatment code for or Concentration to the second sec	specified technology in 26 pased standards, if applicate Subcategory	58.42, if applica able [268.41(a)	ble (INCIN, DEACT, \$) and/or 268.43(a)]. Treatment Technology (5-letter treatment	STABI	_) or <u>CFR Section ar</u> 	Maste Codes Indicate By "X" are Reference to Certification
reatment code for or Concentration to the second sec	specified technology in 26 pased standards, if applicate Subcategory	58.42, if applica able [268.41(a)	ble (INCIN, DEACT, \$) and/or 268.43(a)]. Treatment Technology (5-letter treatment	STABI	_) or <u>CFR Section ar</u> 	Maste Codes Indicate By "X" are Reference to Certification
reatment code for or Concentration to the second sec	specified technology in 26 pased standards, if applicate Subcategory	58.42, if applica able [268.41(a)	ble (INCIN, DEACT, \$) and/or 268.43(a)]. Treatment Technology (5-letter treatment	STABI	_) or <u>CFR Section ar</u> 	Maste Codes Indicat By "X" are Reference to Certification
reatment code for or Concentration to the second sec	specified technology in 26 pased standards, if applicate Subcategory	58.42, if applica able [268.41(a)	ble (INCIN, DEACT, \$) and/or 268.43(a)]. Treatment Technology (5-letter treatment	STABI	_) or <u>CFR Section ar</u> 	Maste Codes Indicat By "X" are Reference to Certification
reatment code for or Concentration to the second sec	specified technology in 26 pased standards, if applicate Subcategory	58.42, if applica able [268.41(a)	ble (INCIN, DEACT, \$) and/or 268.43(a)]. Treatment Technology (5-letter treatment	STABI	_) or <u>CFR Section ar</u> 	Maste Codes Indicat By "X" are Reference to Certification
reatment code for or Concentration to the second sec	specified technology in 26 pased standards, if applicate Subcategory	58.42, if applica able [268.41(a)	ble (INCIN, DEACT, \$) and/or 268.43(a)]. Treatment Technology (5-letter treatment	STABI	_) or <u>CFR Section ar</u> 	Maste Codes Indicat By "X" are Reference to Certification
reatment code for or Concentration to the second sec	specified technology in 26 pased standards, if applicate Subcategory	58.42, if applica able [268.41(a)	ble (INCIN, DEACT, \$) and/or 268.43(a)]. Treatment Technology (5-letter treatment	STABI	_) or <u>CFR Section ar</u> 	Maste Codes Indicat By "X" are Reference to Certification
reatment code for or Concentration to the second se	specified technology in 26 pased standards, if applicate Subcategory	58.42, if applica able [268.41(a)	ble (INCIN, DEACT, \$) and/or 268.43(a)]. Treatment Technology (5-letter treatment	STABI	_) or <u>CFR Section ar</u> 	Maste Codes Indicat By "X" are Reference to Certification
reatment code for or Concentration to the second sec	specified technology in 26 pased standards, if applicate Subcategory	58.42, if applica able [268.41(a)	ble (INCIN, DEACT, \$) and/or 268.43(a)]. Treatment Technology (5-letter treatment	STABI	_) or <u>CFR Section ar</u> 	Maste Codes Indicat By "X" are Reference to Certification
reatment code for or Concentration to the second sec	specified technology in 26 pased standards, if applicate Subcategory	58.42, if applica able [268.41(a)	ble (INCIN, DEACT, \$) and/or 268.43(a)]. Treatment Technology (5-letter treatment	STABI	_) or <u>CFR Section ar</u> 	Maste Codes Indicat By "X" are Reference to Certification
reatment code for or Concentration to the second sec	specified technology in 26 pased standards, if applicate Subcategory	58.42, if applica able [268.41(a)	ble (INCIN, DEACT, \$) and/or 268.43(a)]. Treatment Technology (5-letter treatment	STABI	_) or <u>CFR Section ar</u> 	Maste Codes Indicat By "X" are Reference to Certification
reatment code for or Concentration to the second sec	specified technology in 26 pased standards, if applicate Subcategory	58.42, if applica able [268.41(a)	ble (INCIN, DEACT, \$) and/or 268.43(a)]. Treatment Technology (5-letter treatment	STABI	_) or <u>CFR Section ar</u> 	Maste Codes Indica By "X" are Referent to Certification

SECTION IV

LAB PACK CERTIFICATION

identified as rubmit the following certification standard V Late (Organ	Pack Wastes
	(HC)
I certify under penalty of law that I personally have through analysis and testing or through knowled contains only organic wastes specified in Appendio to regulation under 40 CFR Part 261. I am awa submitting a false certification, including the possi-	s examined and am familiar with the waste dge of the waste and that the lab pack of V to Part 268 or solid wastes not subject are that there are insignificant
Sionature	
Tit.	Deta
PA in Appendix IV or V are referen	cad in Section III of this fa-
	ubject to an Extension in th
Extension Date	
o the California List Prohibitions	<u> </u>
STE WHICH MAY BE LAND DI HER TREATMENT	SPOSED
d waste(s) contained on this ship ing certification statement:	ment, these waste(s) may I
Pag And Survivari II and all acceptable archibiters as	
Date_	
	아들의 화가 있는 것이 하는 것은 그 한 점점 시간을 하는 것이 없었다. 것
e information contained herein	is based upon my thorou
	Signature Title PA in Appendix IV or V are reference EXTENSION IN THE EFFECT! Appendix VII) above manifest no. which are suentified below: Extension Date o the California List Prohibitions STE WHICH MAY BE LAND DISTER TREATMENT